भारत सरकारGOVERNMENT OF INDIA वित्त मंत्रालय MINISTRY OF FINANCE राजस्व विभागDEPARTMENT OF REVENUE

सीमा शुल्कआयुक्तकाकार्यालय 'ICE OF THE COMMISSIONER OF CUSTOMS सीमा शुल्क गृह, विल्लिंग्टन आईलेंड, कोच्चिन-682009

CUSTOM HOUSE, WILLINGDON ISLAND, COCHIN-682009

Sevottam Compliant



An IS 15700 certifiedCustom House

Website: <u>www.cochincustoms.gov.in</u> E-mail: <u>commr@cochincustoms.gov.in</u> Control Room: 0484-2666422 Fax: 0484-2668468

Ph: 0484-2666861-64/774/776

F.No.S-10/03/17-18/Lab Cus

Dated 01.06.2018

CORREGENDUM

It is clarified that with respect to Tender Notice, vide F.No.S-10/03/17-18/Lab Cus dated 02.05.2018, specification in respect of Automatic Nitrogen Analyzer under the general requirement para. 2, it is inadvertently typed as "and", i.e Nitrogen analyzer must be based on latest Flow Injection Analysis techniques and conventional segmented Flow Analysis for the measurement of Nitrogen e.g. Nitrate, TKN (Total kjeldahl Nitrogen), Ammonia Nitrogen. It may be read as 'or' in place of 'and'.

Chemical Examiner, Gr-I